

## Big Gem Recreation Trail – Paved Accessibility Trail

ADA Trail: 36" Wide Paved trail adhering to USDA Accessibility Guidelines covering approximately 981' linear feet.

Sloped trail area consisting of 30 linear feet of 36" rise with 10 feet of flat resting portion and then a final 30 linear feet of trail with a 36" rise.

ADA Parking: Parking spot at trail head to meet ADA compliance with 16 Feet wide Van parking pad and access strip.

Parking Spot at Restroom location to meet ADA Compliance with 16 Feet wide Van parking pad and access strip. 36" wide Paved Path to Restroom Door and to Picnic Shelter.

NOTES: Refer to USDA Accessibility Guideline Book.

Refer to the attached sketch with areas to be excavated, leveled and paved outlined in red.

Contact: Juanita Roudabush, Town Manager at 540-578-2457

### Amendments and measurements 2/24/23:

1. 16x20 parking spot near the entrance to trail
2. 16x25 parking spot near the restroom
3. 4'x52' path from restroom to picnic shelter
4. Trail base will be 6 inches of stone
5. Trail base will be 6 feet wide
6. Trail paved area will be increased to four feet (4') wide to accommodate the normal size equipment and not require hand pour.
7. Asphalt will be 2.5 inches compacted to 2 inches

We look forward to receiving your sealed bid by no later than 2 p.m. on Tuesday, February 28, 2023.